## WHAT IS CLAIMED IS:

1.

15

at least one support layer with or without texturing; at least one base coating located on top of said support layer having a textured surface; at least one printed pattern located on said

A surface covering panel comprising:

- textured surface and in registered with said textured surface; and at least one protective layer located on the printed pattern.
- 2. The surface covering panel of claim 1, wherein said printed pattern is a digital printed pattern.
- 3. The surface covering panel of claim 1, wherein said printed pattern is a digital inkjet printed pattern.
  - 4. The surface covering panel of claim 1, wherein said printed pattern and said textured design is in register to about 1 mm or less.
  - 5. The surface covering panel of claim 1, wherein said textured design has an embossed depth of from about 3 mils to about 15 mils.
  - 6. The surface covering panel of claim 1, wherein said textured design has an embossed depth of from about 1 mil to about 15 mils.
  - 7. The surface covering panel of claim 1, wherein said printed pattern has a wood, tile, brick, ceramic, textile weave or stone pattern design.
- 8. The surface covering panel of claim 1, wherein said printed pattern has a resolution of at least about 100 dpi.
  - 9. The surface covering panel of claim 1, wherein said printed pattern has a resolution of from about 150 dpi to about 750 dpi.
  - 10. The surface covering panel of claim 1, wherein said support layer is a wood-based substrate.

- 11. The surface covering panel of claim 1, wherein said support layer comprises a polymer-based layer.
- 12. The surface covering panel of claim 1, wherein said support layer comprises particle board.
- 13. The surface covering panel of claim 1, wherein said base coating comprises a polymeric layer.

5

- 14. The surface covering panel of claim 1, wherein said at least one protective layer comprises a urethane top coat layer.
- 15. The surface covering panel of claim 1, wherein said support layer has a textured surface.
  - 16. The surface covering panel of claim 1, wherein said support layer and said base coating have a textured surface.
  - 17. The surface covering panel of claim 1, wherein said support layer comprises a wood and fiber board composite.
- 18. A method of making the surface covering panel of claim 1, wherein said method comprises applying at least one base coating onto a support surface; applying a textured surface onto said base coating to form a textured surface; printing a pattern onto said textured surface; applying at least one protective coating onto said printed pattern; wherein said textured surface and said printed pattern are in register.
- 20 19. The method of claim 18, wherein said printing is accomplished with an inkjet printing system.
  - 20. The method of claim 18, wherein said printing is accomplished with a digital inkjet printing system.
    - 21. The method of claim 18, wherein said textured surface is created with a

platen press or an embossed roll.

15

20

- 22. The method of claim 18, wherein said printing is at a resolution of at least 100 dpi.
- The method of claim 18, wherein said printing is at a resolution of about 150 dpi to about 750 dpi.
  - 24. The method of claim 18, further comprising applying at least one adhesive base coating prior to applying at least one base coating onto said support surface.
  - 25. The method of claim 18 further comprising applying a bottom balance layer to the bottom surface of the said support surface.
- 10 26. The method of claim 18, wherein said support surface is surface treated prior to the application of at least one base coating.
  - 27. The method of claim 18, wherein at least two protective coatings are applied.
  - 28. The method of claim 27, wherein one protective coating is a nano-composite urethane topcoat layer and the other protective layer is a urethane topcoat layer, wherein each protective layer optionally has different gloss levels.
    - 29. The method of claim 18, wherein said support layer has a textured surface.
  - 30. A surface covering panel comprising:

    at least one support layer having a textured surface; at least one base coating located on said support layer optionally having a textured surface; at least one printed pattern located on said textured surface and in registered with said textured surface; and at least one protective layer located on the printed pattern.
  - 31. The surface covering panel of claim 1 further comprising at least one adhesive base coat located between said base coating and said support layer.
    - 32. The surface covering panel of claim 1, wherein said support layer is a surface

treated support layer.

20

- 33. The surface covering panel of claim 1, wherein said at least one protective layer comprises two protective layers.
- 34. The surface covering panel of claim 33, wherein one of the protective layers comprises a nano-composite urethane topcoat and the other protective layer comprises a urethane topcoat layer.
  - 35. The surface covering panel of claim 33, wherein one of said protective layers comprises a low gloss nano-composite urethane topcoat layer and the other protective layer comprises a high gloss urethane topcoat layer.
- 10 36. The surface covering panel of claim 35, wherein said high gloss urethane topcoat layer is located on top of said nano-composite urethane topcoat layer.
  - 37. The surface covering panel of claim 1, wherein said support layer comprises a high density fiber board.
- 38. The surface covering panel of claim 1, further comprising a bottom balance layer located on the bottom of said at least one support layer.
  - 39. A surface covering panel comprising:

    at least one support layer with texturing; optionally at least one base coating located on top of said support layer with or without a textured surface; at least one printed pattern located on said support layer or said textured surface and in registered with said texturing on said support layer; and at least one protective layer located on the printed pattern.